

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2173	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/18 13:13
L2	682	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/18 13:13
L3	5585	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/18 13:13
L4	1628	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/18 13:13
L5	333	"340"/5.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/18 13:13
L6	231	"340"/7.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/18 13:13
L7	49	determine same application same configuration same second same port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/18 13:13
L8	0	(object same identifier) same application same format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/18 13:15
S1	4116	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 19:56

S2	26	(("6584601") or ("6564249") or ("6535883") or ("6,384,744") or ("6,377,986") or ("6,154,738") or ("6,138,151") or ("6,108,656") or ("6,098,106") or ("6,076,733") or ("6,068,188") or ("6,032,195") or ("6,027,024") or ("6,012,102") or ("5,992,752") or ("5,978,773") or ("5,938,726") or ("5,933,829") or ("5,933,634") or ("5,905,251") or ("5,905,248") or ("5,903,729") or ("5,869,819") or ("5,804,803") or ("5,612,527") or ("5,604,640")).PN.	USPAT; USOCR	OR	OFF	2004/08/19 15:17
S3	1	("20020147743").PN.	US-PGPUB; USOCR	OR	OFF	2004/08/19 16:18
S4	23	(("5,545,887") or ("5,493,105") or ("5,483,052") or ("5,478,999") or ("5,465,291") or ("5,438,188") or ("5,428,211") or ("5,412,196") or ("5,352,878") or ("5,343,028") or ("5,223,701") or ("5,189,292") or ("5,159,635") or ("5,153,418") or ("5,113,445") or ("5,047,614") or ("4,998,010") or ("4,958,064") or ("4,896,029") or ("4,752,675") or ("4,654,718") or ("4,488,679") or ("3,513,320")).PN.	USPAT; USOCR	OR	OFF	2004/08/19 16:25

S5	194	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:26
S6	1217	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:27
S7	420	hepworth.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:27
S8	0	hepworth.in. and "235"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:27
S9	52	hepworth.in. and (object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:27
S10	12	(hepworth.in. and (object)) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:42
S11	0	object near identifier near software near application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:43
S12	28	object near identifier near application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:46
S13	2	"6032195".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 17:17
S14	4	("5804803" "5869819" "5905248" "5905251").PN.	USPAT	OR	OFF	2004/08/19 16:46
S15	23	"6032195".URPN.	USPAT	OR	OFF	2004/08/19 16:47

S16	0	document near identification near download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:51
S17	39	data near identifier near format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 17:19
S18	0	data near identifier near format near delete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 17:19
S19	14	identifier same format same character same delete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 17:21
S20	43	delete same character same parse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 19:31
S21	2	"20030088643"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 19:31
S22	4297	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:11
S23	235	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:11
S24	1371	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:11
S25	0	object adj identifier adj reader same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:12

S26	15	identifier same format same character same delete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:12
S27	0	(object adj identifier adj reader) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:12
S28	0	(object adj identifier) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:12
S29	5	(object same identifier) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 11:15
S30	0	(object same identifier) same application same format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 12:37
S31	2	"6032195".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 12:55
S32	426	scan\$4 same identifier same format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 13:22
S33	201	data same segment same format same characters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 14:44
S34	14	data same segment same format same characters same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 13:25
S35	119569	"340"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 14:44

S36	212	"340"/5.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 14:44
S37	196	"340"/7.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 14:44
S38	4442	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 12:44
S39	298	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 12:44
S40	1506	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 12:44
S41	15	identifier same format same character same delete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 12:44
S42	206	data same segment same format same characters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 12:44
S43	14	data same segment same format same characters same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 12:44
S44	14	data same segment same format same characters same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 13:38
S45	465	scan\$4 same identifier same format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 13:38

S46	4586	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:03
S47	334	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:03
S48	1593	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:03
S49	239	"340"/5.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:03
S50	206	"340"/7.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:08
S51	429	first adj communication adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:33
S52	453	second adj communication adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:09
S53	525	S51 or S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:09
S54	357	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:09
S55	258	S54 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:11

S56	170	S55 and determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:11
S57	123	S56 and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:12
S58	870	determine same application same configuration same interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:12
S59	145	determine same application same configuration same first same interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:12
S60	80	determine same application same configuration same second same interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:35
S61	65	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:13
S62	160	S59 or S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:13
S63	4789	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:32
S64	404	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:33
S65	1716	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:33

S66	260	"340"/5.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:33
S67	217	"340"/7.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:33
S68	574	first adj communication adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:33
S69	550	second adj communication adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:33
S70	677	S68 or S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:34
S71	459	S70 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:34
S72	276	S71 and determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:34
S73	203	S72 and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:34
S74	35	determine same application same configuration same second same port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 21:35
S75	494	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 20:36

S76	494	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 20:36
S77	274	"340"/5.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 20:36
S78	4956	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 20:36
S79	220	"340"/7.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 20:36
S80	15	identifier same format same character same delete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 20:37
S81	40	determine same application same configuration same second same port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 20:37
S82	16	data same segment same format same characters same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 21:08
S83	5175	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/14 16:17
S84	560	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/14 16:17
S85	1975	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/14 16:17

S86	293	"340"/5.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/14 16:17
S87	227	"340"/7.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/14 16:17
S88	41	determine same application same configuration same second same port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/14 16:55

2/18/2008 1:16:09 PM

C:\Documents and Settings\lcaputo\My Documents\EAST\Workspaces\10623747.wsp